

In Common With

Ceramic Up Down Sconce
Technical Specifications



Ceramic Up Down Sconce




Technical Specifications

Materials	Ceramic, brass or steel
Product weight	2 lbs
Lead time	6 weeks
Bulbs included (2)	E12 / 110 V / 3.0 W / 180 lm / 2700 K
Dimmer	TRIAC
Max wattage	20 W
Certifications	UL listed, damp-rated




Updated April 17, 2023


Front View




Side View



Top View



Isometric View



Ceramic Up Down Sconce, Left Switch



Technical Specifications

Materials	Ceramic, brass or steel
Product weight	2 lbs
Lead time	6 weeks
Bulbs included (2)	E12 / 110 V / 3.0 W / 180 lm / 2700 K
Dimmer	Integrated dimmer switch
Max wattage	20 W
Certifications	UL listed, damp-rated




Notes


1. This fixture can be specified with a rotary dimmer switch installed on its base. The dimmer switch can be located on either the left or right side of the shades.

Updated April 17, 2023


Front View




Side View



Top View



Isometric View



Ceramic Up Down Sconce, Right Switch



Technical Specifications

Materials	Ceramic, brass or steel
Product weight	2 lbs
Lead time	6 weeks
Bulbs included (2)	E12 / 110 V / 3.0 W / 180 lm / 2700 K
Dimmer	Integrated dimmer switch
Max wattage	20 W
Certifications	UL listed, damp-rated




Notes


1. This fixture can be specified with a rotary dimmer switch installed on its base. The dimmer switch can be located on either the left or right side of the shades.

Updated April 17, 2023


Front View




Side View



Top View



Isometric View



Ceramic Up Down Sconce, Plug-in



Technical Specifications

Materials	Ceramic, brass or steel
Product weight	2.5 lbs
Lead time	6 weeks
Bulbs included (2)	E12 / 110 V / 3.0 W / 180 lm / 2700 K
Dimmer	Optional in-line dimmer switch
Cord length	16 ft
Max wattage	20 W
Certifications	UL listed, damp-rated




Notes


1. This fixture can be ordered with an on/off switch or an inline dimmer; see additional details below.
2. Fixtures ordered in painted metal with an on/off switch come with a 16-foot black fabric cord. The on/off switch is located 8 feet from the plug.
3. Fixtures ordered in painted metal with an inline dimmer have a 16-foot black nylon cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.
4. Fixtures ordered in brass finishes with an on/off switch come with a 16-foot chocolate brown fabric cord. The on/off switch is located 8 feet from the plug.
5. Fixtures ordered in brass finishes with an inline dimmer have a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.
6. Custom cord color can be specified for an additional cost; please inquire.

Updated April 17, 2023


Front View




Side View



On/off Switch Detail



Inline Dimmer Switch Detail



Ceramic Up Down Sconce, Plug-in Left Switch



Technical Specifications

Materials	Ceramic, brass or steel
Product weight	2.5 lbs
Lead time	6 weeks
Bulbs included (2)	E12 / 110 V / 3.0 W / 180 lm / 2700 K
Dimmer	Integrated dimmer switch
Cord length	10 ft
Max wattage	20 W
Certifications	UL listed, damp-rated




Notes


1. This fixture can be ordered with an on/off switch or an inline dimmer; see additional details below.
2. Fixtures ordered in painted metal will come with a 10-foot black nylon cord.
3. Fixtures ordered in brass finishes will come with a 10-foot chocolate brown fabric cord.
4. Custom cord color can be specified for an additional cost; please inquire.
5. This fixture can be specified with a rotary dimmer switch installed on its base. The dimmer switch can be located on either the left or right side of the shades.

Updated April 17, 2023


Front View




Side View



Top View



Isometric View



Ceramic Up Down Sconce, Plug-in Right Switch



Technical Specifications

Materials	Ceramic, brass or steel
Product weight	2.5 lbs
Lead time	6 weeks
Bulbs included (2)	E12 / 110 V / 3.0 W / 180 lm / 2700 K
Dimmer	Integrated dimmer switch
Cord length	10 ft
Max wattage	20 W
Certifications	UL listed, damp-rated




Notes


1. This fixture can be ordered with an on/off switch or an inline dimmer; see additional details below.
2. Fixtures ordered in painted metal will come with a 10-foot black nylon cord.
3. Fixtures ordered in brass finishes will come with a 10-foot chocolate brown fabric cord.
4. Custom cord color can be specified for an additional cost; please inquire.
5. This fixture can be specified with a rotary dimmer switch installed on its base. The dimmer switch can be located on either the left or right side of the shades.

Updated April 17, 2023


Front View




Side View



Top View



Isometric View



Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at incommonwith.com/finishes.

Ceramic



Tan Clay



White Clay



Terracotta



Green Clay



Black Clay

Painted Metal



Black



Bone



Oxide Red



Reed Green



Peach

Brass



Brass



Patina Brass



Blackened Brass



Pewter